

Section 6.4 Vectors and Dot Products

Objective: In this lesson you learned how to find the dot product of two vectors and use properties of the dot product.

Course Number

Instructor

Date

Important Vocabulary Define each term or concept.

Angle between two nonzero vectors

Orthogonal vectors

Vector components

I. The Dot Product of Two Vectors (Pages 438–439)

The **dot product** of $\mathbf{u} = \langle u_1, u_2 \rangle$ and $\mathbf{v} = \langle v_1, v_2 \rangle$ is _____ . This product yields a _____ .

Let \mathbf{u} , \mathbf{v} , and \mathbf{w} be vectors in the plane or in space and let c be a scalar. Complete the following properties of the dot product:

- $\mathbf{u} \bullet \mathbf{v} =$ _____
- $\mathbf{0} \bullet \mathbf{v} =$ _____
- $\mathbf{u} \bullet (\mathbf{v} + \mathbf{w}) =$ _____
- $\mathbf{v} \bullet \mathbf{v} =$ _____
- $c(\mathbf{u} \bullet \mathbf{v}) =$ _____ = _____

Example 1: Find the dot product: $\langle 5, -4 \rangle \bullet \langle 9, -2 \rangle$.

What you should learn

How to find the dot product of two vectors and use properties of the dot product

II. The Angle Between Two Vectors (Pages 439–441)

If θ is the angle between two nonzero vectors \mathbf{u} and \mathbf{v} , then _____ .

Example 2: Find the angle between $\mathbf{v} = \langle 5, -4 \rangle$ and $\mathbf{w} = \langle 9, -2 \rangle$.

What you should learn

How to find angles between vectors and how to determine whether two vectors are orthogonal

An alternative way to calculate the dot product between two vectors \mathbf{u} and \mathbf{v} , given the angle θ between them, is

_____.

Two vectors \mathbf{u} and \mathbf{v} are orthogonal if _____.

Example 3: Are the vectors $\mathbf{u} = \langle 1, -4 \rangle$ and $\mathbf{v} = \langle 6, 2 \rangle$ orthogonal?

III. Finding Vector Components (Pages 441–443)

Let \mathbf{u} and \mathbf{v} be nonzero vectors such that $\mathbf{u} = \mathbf{w}_1 + \mathbf{w}_2$, where \mathbf{w}_1 and \mathbf{w}_2 are orthogonal and \mathbf{w}_1 is parallel to (or a scalar multiple of) \mathbf{v} . The vectors \mathbf{w}_1 and \mathbf{w}_2 are called _____. The vector \mathbf{w}_1 is the **projection** of \mathbf{u} onto \mathbf{v} and is denoted by _____. The vector \mathbf{w}_2 is given by _____.

Let \mathbf{u} and \mathbf{v} be nonzero vectors. The projection of \mathbf{u} onto \mathbf{v} is given by $\text{proj}_{\mathbf{v}} \mathbf{u} =$ _____.

What you should learn

How to write vectors as sums of two vector components

IV. Work (Page 444)

The work W done by a constant force \mathbf{F} as its point of application moves along the vector \overrightarrow{PQ} is given by either of the following:

- 1.
- 2.

What you should learn

How to use vectors to find the work done by a force

Homework Assignment

Page(s)

Exercises